

# SAFETY DATA SHEET

# **SECTION 1) IDENTIFICATION**

Product ID: 450-3 (OSHA)

Product Name: Bile Acid Stop Reagent

Revision Date: Apr 24, 2019 Date Printed: Apr 24, 2019

Version: 1.0 Supersedes Date: N.A.

Manufacturer's Name: Trinity Biotech Plc Distributor's Name: Trinity Biotech USA

Address: IDA Business Park Address: 2823 Girts Road Jamestown, NY, USA, 14701

Southern Cross Road Bray, Co. Wicklow,

**IRL** 

Emergency Phone: Contact your local Emergency Health

Care Provider. USA-Technical Support

Group: 1-800-325-3424

Information Phone Number: +353 1 276 9800 Distributor's Emergency: Contact your local Emergency Health Care

Provider. Ireland-Technical Support Group 00353-1-

276-9800

+1 800-325-3424

Fax: +353 1 276 9888

Product/Recommended Uses: Medical Diagnostics

# **SECTION 2) HAZARDS IDENTIFICATION**

### Classification

These classifications were evaluated according to United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Workplace Hazardous Materials Information System (WHMIS).

**Distributor's Phone:** 

Corrosive to metals - Category 1

Serious Eye Damage - Category 1

Skin Corrosion - Category 1B

### **Pictograms**



### Signal Word

Danger

# Hazardous Statements - Health

Causes serious eye damage

Causes severe skin burns and eye damage

### **Hazardous Statements - Physical**

May be corrosive to metals

### **Precautionary Statements - General**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

### **Precautionary Statements - Prevention**

Keep only in original packaging.

450-3 (OSHA) Page 1 of 7

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly/hands thoroughly after handling.

### **Precautionary Statements - Response**

Absorb spillage to prevent material damage.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Specific treatment (see first-aid on this label).

#### **Precautionary Statements - Storage**

Store in a corrosive resistant container with a resistant inner liner.

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/national/international regulation.

# **Hazards Not Otherwise Classified (HNOC)**

CAUTION: Handle all controls and all biological samples as though capable of transmitting infectious agents.

# SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0007732-18-5	WATER	84.7%
0007664-38-2	PHOSPHORIC ACID	15.3%

# **SECTION 4) FIRST-AID MEASURES**

#### Inhalation

Immediately call a POISON CENTER/doctor. Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing has stopped, trained personnel should begin rescue breathing or, if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). If exposed or concerned: Get medical advice/attention.

### **Eye Contact**

Immediately call a POISON CENTER/doctor.

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a flushing duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.

### **Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. If skin irritation or rash occurs: Get medical advice/attention. Store clothing under water and wash clothing before re-use or discard. If exposed or concerned: Get medical advice/attention.

# Ingestion

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, lie on your side, in the recovery position. If exposed or concerned: Get medical advice/attention.

# Most Important Symptoms and Effects, Both Acute and Delayed

No Data Available

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

450-3 (OSHA) Page 2 of 7

# **SECTION 5) FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Small Fire: Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Large Fire: Water spray, fog or alcohol-resistant foam.

### **Unsuitable Extinguishing Media**

No Data Available

Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.

### Specific Hazards in Case of Fire

Burning can produce irritating, toxic and obnoxious fumes.

#### **Fire-Fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Cool containers with flooding quantities of water until well after fire is out. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **Special Protective Actions**

Wear protective pressure self-contained breathing apparatus (SCBA) and full turnout gear.

### **SECTION 6) ACCIDENTAL RELEASE MEASURES**

#### **Emergency Procedure**

If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated.

#### **Recommended Equipment**

Wear liquid tight chemical protective clothing in combination with positive pressure self-contained breathing apparatus (SCBA).

### **Personal Precautions**

DO NOT get on skin, eyes or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

#### **Environmental Precautions**

Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. Stop spill/release if it can be done safely.

#### Methods and Materials for Containment and Cleaning Up

Absorb liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal. Contaminated absorbent material may pose the same hazard as the spilled product.

### **SECTION 7) HANDLING AND STORAGE**

#### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. Eyewash stations and showers should be available in areas where this material is used and stored. Use Good Laboratory Procedures (GLP) during handling. Handle as if capable of transmitting a disease.

#### **Ventilation Requirements**

Use only with adequate ventilation to control air contaminants to their exposure limits. The use of local ventilation is recommended to control emissions near the source.

### **Storage Room Requirements**

Keep container(s) tightly closed and properly labeled. Store at temperatures between 2-28  $^{\circ}$ C.

Store in cool, dry, well-ventilated areas away from heat, direct sunlight and strong oxidizers. Store in approved containers and protect against physical damage.

450-3 (OSHA) Page 3 of 7

# SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Eye Protection**

Wear eye protection with side shields or goggles. Wear indirect-vent, impact and splash resistant goggles when working with liquids. If additional protection is needed for entire face, use in combination with a face shield.

#### **Skin Protection**

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Launder soiled clothes or properly disposed of contaminated material, which cannot be decontaminated.

### **Respiratory Protection**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program should be followed. Check with respiratory protective equipment suppliers.

# **Appropriate Engineering Controls**

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	OSHA STEL (ppm)	OSHA STEL (mg/m3)	OSHA TWA (ppm)	OSHA TWA (mg/m3)	OSHA Carcinogen	OSHA Carcinogen	OSHA Skin designation	OSHA Skin designation
PHOSPHORIC ACID				1				

Chemical Name	OSHA Tables (Z1, Z2, Z3)	NIOSH STEL (ppm)	NIOSH STEL (mg/m3)	NIOSH TWA (ppm)	NIOSH TWA (mg/m3)	NIOSH Carcinogen	NIOSH Carcinogen	ACGIH STEL (ppm)
PHOSPHORIC ACID	1		3		1			

Chemical Name	ACGIH TWA (ppm)	ACGIH STEL (mg/m3)	ACGIH TWA (mg/m3)	ACGIH TLV Basis	ACGIH Carcinogen	ACGIH Carcinogen	ACGIH Notations
PHOSPHORIC ACID		3	1	URT, eye, & skin irr			

irr - Irritation, URT - Upper respiratory tract

# **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

# **Physical and Chemical Properties**

Density	8.90025 lb/gal	
Specific Gravity	1.06649	
Appearance	N/A	
Odor Description	N/A	
Odor Threshold	N/A	
рН	N/A	
Water Solubility	N/A	
Flammability	N/A	
Flash Point	N/A	

450-3 (OSHA) Page 4 of 7

N/A Viscosity Lower Explosion Level N/A Upper Explosion Level N/A Vapor Pressure N/A Vapor Density N/A Freezing Point N/A Melting Point N/A Low Boiling Point N/A High Boiling Point N/A N/A Auto Ignition Temp Decomposition Pt N/A **Evaporation Rate** N/A Coefficient Water/Oil N/A

# **SECTION 10) STABILITY AND REACTIVITY**

### **Stability**

Stable under normal storage and handling conditions.

#### **Conditions to Avoid**

Avoid heat, sparks, flame, high temperature, freezing and contact with incompatible materials.

# **Hazardous Reactions/Polymerization**

No Data Available

### **Incompatible Materials**

Strong bases, acids, and oxidizing agents.

### **Hazardous Decomposition Products**

No Data Available

# **SECTION 11) TOXICOLOGICAL INFORMATION**

### Likely Routes of Exposure

Inhalation, ingestion, skin absorption.

### **Aspiration Hazard**

No Data Available

# Carcinogenicity

No Data Available

# **Germ Cell Mutagenicity**

No Data Available

### **Reproductive Toxicity**

No Data Available

# Respiratory/Skin Sensitization

No Data Available

### Serious Eye Damage/Irritation

Causes serious eye damage

Skin Corrosion/Irritation

450-3 (OSHA) Page 5 of 7

Causes severe skin burns and eye damage

### Specific Target Organ Toxicity - Repeated Exposure

No Data Available

### **Specific Target Organ Toxicity - Single Exposure**

No Data Available

### **Acute Toxicity**

No Data Available

### **Potential Health Effects - Miscellaneous**

0007664-38-2 PHOSPHORIC ACID

Ingestion may cause any of the following: burns to mouth and stomach. Inhalation of vapor may cause any of the following: burns to respiratory system. Skin or eye contact may cause any of the following: burns.

0007664-38-2 PHOSPHORIC ACID

LC50 (mouse): 25.5 mg/m3 (duration of exposure not specified) (4)

LD50 (oral, rat): 3500 mg/kg (85% aqueous solution); 4200 mg/kg (80% aqueous solution)

# **SECTION 12) ECOLOGICAL INFORMATION**

### **Toxicity**

No Data Available

**Mobility in Soil** 

No Data Available

#### **Bio-accumulative Potential**

No Data Available

### Persistence and Degradability

No Data Available

#### Other Adverse Effects

No Data Available

# **SECTION 13) DISPOSAL CONSIDERATIONS**

### **Waste Disposal**

Under RCRA it is the responsibility of the user of the product to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Waste management should be in full compliance with federal, state and local laws.

# **SECTION 14) TRANSPORT INFORMATION**

### **US DOT/IMDG/IATA Information**

UN number: Not Regulated UN proper shipping name: N/A

Transport hazard class(es): Not Applicable

Packing group: Not Applicable

450-3 (OSHA) Page 6 of 7

# **SECTION 15) REGULATORY INFORMATION**

CAS	Chemical Name	% By Weight	Regulation List
0007732-18-5	WATER	84.7%	TSCA
0007664-38-2	PHOSPHORIC ACID	15.3%	SARA312,TSCA

# **SECTION 16) OTHER INFORMATION**

### **Glossary**

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDGCanadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

#### Version 1.0:

Revision Date: Apr 24, 2019

Version 1.0

### **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

450-3 (OSHA) Page 7 of 7