

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/5

## Ultra 2 Diluent

Revision 2  
Revision date 2015-05-14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Ultra 2 Diluent
Product code	01-03-0059, 01-03-0056

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	For use with Trinity Biotech Ultra2 Affinity HbA1c hemoglobin A1c assay systems. Follow instructions for use as provided in the system operator manual. No substitutions or other uses are permitted. For in Vitro Diagnostic Use only.
-------------	---

#### 1.3. Details of the supplier of the safety data sheet

Company	Trinity Biotech
Address	IDA Business Park Bray Co. Wicklow Ireland
Web	www.trinitybiotech.com
Telephone	+353 1 276 9800
Fax	+353 1 276 9883
Email	info@trinitybiotech.com

#### Local Supplier

Company	Trinity Biotech USA
Address	2823 Girts Rd Jamestown NY 14701 USA
Telephone	+1 800-325-3424
Fax	+1 716-487-1419

#### 1.4. Emergency telephone number

	Contact your local Emergency Health Provider. Ireland-Technical Support Group 00353 -1- 276- 9800 USA-Technical Support Group 1-800-325-3424
--	--

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Main hazards	No Significant Hazard
--------------	-----------------------

#### 2.2. Label elements

Risk phrases	No Significant Hazard
--------------	-----------------------

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

## Ultra 2 Diluent

Revision 2  
Revision date 2015-05-14

## 3.2. Mixtures

## 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Water		7732-18-5			90 - 100%		
TRITON X100 (005-255)		9002-93-1			0 - 0.5%	Xn; R22 Xi; R41	
Bis Tris HCL		124763-51-5			0 - 0.5%		
Sodium azide (Sodium azide (as NaN <sub>3</sub> ))	011-004-00-7	26628-22-8	247-852-1		0 - 0.5%	T+; R28 R32 N; R50/53	

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Water		7732-18-5			90 - 100%		
TRITON X100 (005-255)		9002-93-1			0 - 0.5%		
Bis Tris HCL		124763-51-5			0 - 0.5%		
Sodium azide (Sodium azide (as NaN <sub>3</sub> ))	011-004-00-7	26628-22-8	247-852-1		0 - 0.5%	Acute Tox. 2: H300; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Eye contact	Bathe the eye with running water for 15 minutes. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.
Ingestion	If ingested, induce vomiting, but only under medical supervision. Seek medical attention.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

## 5.2. Special hazards arising from the substance or mixture

	No Significant Hazard.
--	------------------------

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective clothing, gloves and eye/face protection.
--	--

## 6.3. Methods and material for containment and cleaning up

	Wash with soap and water.
--	---------------------------

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

	Do NOT allow to freeze. Keep containers tightly closed.
--	---

## 7.2. Conditions for safe storage, including any incompatibilities

	Store in original container. Store at temperatures between 2 °C and 28 °C. Do NOT allow to freeze.
--	--

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1. Exposure Limit Values

## Ultra 2 Diluent

Revision 2  
Revision date 2015-05-14

## 8.1.1. Exposure Limit Values

Sodium azide (Sodium azide (as NaN <sub>3</sub> ))	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m <sup>3</sup> : 0.1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m <sup>3</sup> : 0.3
	WEL 8-hr limit mg/m <sup>3</sup> total inhalable dust: -	WEL 15 min limit mg/m <sup>3</sup> total inhalable dust: -
	WEL 8-hr limit mg/m <sup>3</sup> total respirable dust: -	WEL 15 min limit mg/m <sup>3</sup> total respirable dust: -

## 8.2. Exposure controls

Eye / face protection	Avoid contact with eyes. Wear eye/face protection.
Skin protection - Handprotection	Wash with soap and water. Wear suitable protective clothing and gloves.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Not normally required. In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Freezing Point	-4 °C
Initial boiling point	100 °C
Vapour pressure	5333 Pa
Vapour density	1.6
Solubility	Soluble in water

## 9.2. Other information

Specific gravity	0.99
VOC (Volatile organic compounds)	10 g/l

## SECTION 10: Stability and reactivity

## 10.4. Conditions to avoid

	None.
--	-------

## 10.5. Incompatible materials

	None.
--	-------

## 10.6. Hazardous decomposition products

	None.
--	-------

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	Toxic in contact with skin and if swallowed. May cause damage to liver and kidneys. May cause damage to organs eye heart.
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Repeated or prolonged exposure	Avoid prolonged or repeated exposure. Harmful if swallowed, in contact with skin or if inhaled. Very toxic if swallowed.

## 11.1.4. Toxicological Information

Sodium azide	Oral Rat LD50: 27mg/kg	Dermal Rabbit LD50: 20mg/kg
TRITON X100 (005-255)	Oral Rat LD50: 1800	Dermal Rabbit LD50: 8000

## SECTION 12: Ecological information

## Ultra 2 Diluent

Revision 2  
Revision date 2015-05-14

## 12.1. Toxicity

Sodium azide	Daphnia EC50/48h: 4.2 mg/l	Lepomis_Macrochirus LC50/96h: 0.68mg/l
TRITON X100 (005-255)	Daphnia EC50/48h: 26.00000 mg/l	Fish LC50/96h: 8.90000 mg/l

## 12.2. Persistence and degradability

	This product is not known to present any environmental hazards related to persistence in the environment, resistance to biodegradability, or hazardous degradation intermediates. The plastic container consists of polypropylene and may be recycled.
--	--

## 12.3. Bioaccumulative potential

	Does not bioaccumulate. If released into the soil, this material is expected to evaporate and degrade. If released into the water, this material is expected to have a half-life of less than 5 days.
--	---

## 12.6. Other adverse effects

	This material is expected to be slightly toxic to aquatic life.
--	---

## Further information

	This product does not present an environmental hazard in the terrestrial, atmospheric, or food-chain via accumulation.
--	--

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Disposal should be made in accordance with local and national regulations. Trinity Biotech analyzer systems discharge no more than 2 mL per minute. Consult local wastewater discharge requirements. Discharge only to public waste water treatment (POTW) systems. The preservative used is toxic to fish and wildlife. Do not discharge to lakes, streams, ponds, or surface watershed. The reagent is biodegradable. Once used with patient blood samples, handle under universal precautions as potentially infectious waste.
--	---

## SECTION 14: Transport information

## 14.6. Special precautions for user

	Transportation of this product is not regulated. Fragile containers, handle with care. Protect from freezing. Protect from extended storage at elevated temperatures.
--	---

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

	For in Vitro Diagnostic Use only.
--	-----------------------------------

## SECTION 16: Other information

## Other information

	Do not use after expiry date printed on label. The information contained in this MSDS does not purport to be all-inclusive and is provided for general guidance only. The manufacturer is not liable for any damage resulting from mishandling or unprotected contact with the above product.
Revision	This document differs from the previous version in the following areas: 12 - 12.1. Toxicity. 13 - 13.1. Waste treatment methods.
Text of risk phrases in Section 3	R22 - Harmful if swallowed. R28 - Very toxic if swallowed. R32 - Contact with acids liberates very toxic gas. R41 - Risk of serious damage to eyes. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of Hazard Statements in Section 3	EUH032 - Contact with acids liberates very toxic gas. Acute Tox. 2: H300 - Fatal if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

## Ultra 2 Diluent

Revision 2

Revision date 2015-05-14

---

**Other information**

<b>Maximum content of VOC</b>	10 g/l.
-------------------------------	---------

---